

Preparation Guide



resource®
ThickenUP®
clear


Measurements

New label available from July 2019.


1 Blue Scoop* = 1.2g	10 Blue Scoops = 12g OR 1 Bulk Scoop	1 Bulk Scoop = 12g	Nested Scoops	Level 2 1 Pink Scoop = 2.4g
	20 Blue Scoops = 24g (1/3 metric cup) OR 2 Bulk Scoops			Level 3 1 Yellow Scoop = 4.8g
	30 Blue Scoops = 36g (1/2 metric cup) OR 3 Bulk Scoops			Level 4 1 Green Scoop = 7.2g

*1 Blue Scoop (1.2g) = 1 RESOURCE® THICKENUP® Clear stick sachet.


For Basic Liquids[^]




Place required amount of RESOURCE® THICKENUP® Clear powder into a clean, dry glass or jug.



Pour **prepared** liquid over powder.



Stir for 20-30 seconds until the powder has completely dissolved.



Leave to stand for 1 minute before serving.

Water, Juice, Cordial, Tea, Coffee [^]	IDDSI Framework			
	Level 1 Slightly Thick	Level 2 Mildly Thick	Level 3 Moderately Thick	Level 4 Extremely Thick
200mL Liquid (Blue Scoop)	1 Blue Scoop	2 Blue Scoops	4 Blue Scoops	6 Blue Scoops [†]
200mL Liquid (Nested Scoops)	–	1 Pink Scoop	1 Yellow Scoop	1 Green Scoop [†]
Water, Juice, Cordial [^]				
1 Litre Liquid (Blue Scoop)	5 Blue Scoops	10 Blue Scoops	20 Blue Scoops	30 Blue Scoops [†]
1 Litre Liquid (Bulk Scoop)	–	1 Bulk Scoop	2 Bulk Scoops	3 Bulk Scoops [†]

[^]Refer to a healthcare professional when mixing protein or citric acid containing liquids (e.g. milk, oral nutritional supplements, juice, carbonated and alcoholic beverages). These liquids behave uniquely when mixed with RESOURCE® THICKENUP® Clear.

[†]Level 4 Extremely Thick liquids are evaluated as IDDSI compliant based on Spoon Tilt Test.

For Milk



Place required amount of RESOURCE® THICKENUP® Clear powder into a clean, dry glass or jug.



Add just enough milk to cover powder (~50mL).



Stir for 20-30 seconds or until mixture starts to thicken.



Pour remaining milk into glass. **Wait 15 minutes** then stir and serve immediately.

	IDDSI Framework			
	Level 1 Slightly Thick	Level 2 Mildly Thick	Level 3 Moderately Thick	Level 4 Extremely Thick
200mL Light Milk [‡]	1 Blue Scoop	2 Blue Scoops	4 Blue Scoops	8 Blue Scoops [†]
1 Litre Light Milk [‡]	5 Blue Scoops	10 Blue Scoops	20 Blue Scoops	24 Blue Scoops [†]
200mL Full Cream Milk [#]	1 Blue Scoop	2 Blue Scoops	4 Blue Scoops	8 Blue Scoops [†]
1 Litre Full Cream Milk [#]	4 Blue Scoops	11 Blue Scoops	20 Blue Scoops	25 Blue Scoops [†]

Please note: The protein and fat content of milk will vary greatly. Discretion from a healthcare professional must be used when thickening milk to ensure it reaches the correct consistency.

[‡]Recipe based on light milk (fat content 1.0g per 100mL).

[#]Recipe based on full cream milk (fat content 3.4g per 100mL).

[†]Level 4 Extremely Thick liquids are evaluated as IDDSI compliant based on Spoon Tilt Test.

For MILO®

Prepare 200mL of MILO® as per instructions on can[§], then follow the directions below:



Place required amount of RESOURCE® THICKENUP® Clear powder into a separate, clean, dry glass.



Add just enough of the prepared MILO® liquid to cover powder (~50mL).



Stir for 10-20 seconds or until mixture starts to thicken.



Pour remaining MILO® liquid into glass. **Wait 10 minutes** then stir and serve immediately.

	IDDSI Framework			
MILO® mixed with Reduced Fat Milk	Level 1 Slightly Thick	Level 2 Mildly Thick	Level 3 Moderately Thick	Level 4 Extremely Thick
200mL warm MILO®	1 Blue Scoop	2 Blue Scoops	3 Blue Scoops	6 Blue Scoops [†]
200mL cold MILO®	1 Blue Scoop	2 Blue Scoops	3 Blue Scoops	7 Blue Scoops [†]

[§]3 heaped teaspoons of MILO® into 200mL of reduced fat milk.


[†]Level 4 Extremely Thick liquids are evaluated as IDDSI compliant based on Spoon Tilt Test.

For SUSTAGEN® Hospital Formula Active (Vanilla or Chocolate Flavour)


Prepare 200mL of SUSTAGEN® Hospital Formula Active as per instructions on can**, then follow the directions below:



Place required amount of RESOURCE® THICKENUP® Clear powder into a separate, clean, dry glass or jug.



Add just enough of the prepared SUSTAGEN® Hospital Formula Active liquid to cover powder (~50mL).



Stir for 10-20 seconds or until mixture starts to thicken.



Pour remaining SUSTAGEN® Hospital Formula Active liquid into glass. **Wait 5-10 minutes** then stir and serve immediately.

	IDDSI Framework			
SUSTAGEN® Hospital Formula Active mixed with Reduced or Full Cream Milk	Level 1 Slightly Thick	Level 2 Mildly Thick	Level 3 Moderately Thick	Level 4 Extremely Thick
200mL	1 Blue Scoop	2 Blue Scoops	3 Blue Scoops	5 Blue Scoops [†]
1 Litre	6 Blue Scoops	10 Blue Scoops	14 Blue Scoops	25 Blue Scoops [†]

**Mix 3 level scoops (1 x scoop of SUSTAGEN® = 20g) with milk. Use only enclosed scoop.

[†]Level 4 Extremely Thick liquids are evaluated as IDDSI compliant based on Spoon Tilt Test.

For MOVICOL®


Prepare MOVICOL® as per instructions on pack[¥], then follow the directions below:



Place required amount of RESOURCE® THICKENUP® Clear powder into a separate, clean, dry glass.



Add just enough of the prepared MOVICOL® solution to cover powder (~50mL).



Stir for 10-20 seconds or until mixture starts to thicken.



Pour remaining MOVICOL® solution into glass. **Wait 5-10 minutes** then stir and serve immediately.

	IDDSI Framework			
MOVICOL® mixed with water	Level 1 Slightly Thick	Level 2 Mildly Thick	Level 3 Moderately Thick	Level 4 Extremely Thick
125mL	Not applicable^^	1 Blue Scoop	2 Blue Scoops	5 Blue Scoops [†]

[¥]1 sachet of MOVICOL® in 125mL of water. MOVICOL® Liquid Orange Concentrate can also be thickened once 25mL of concentrate is diluted to 125mL with water.

^{^^}If level 1 is required contact your healthcare professional for guidance. [†]Level 4 Extremely Thick liquids are evaluated as IDDSI compliant based on Spoon Tilt Test.

RESOURCE® THICKENUP® Clear is a food for special medical purposes for the dietary management of people with swallowing difficulties. Must be used under medical supervision.

Nutritional supplements can only be of assistance where dietary intake is inadequate. Please seek advice on your individual dietary needs from an Accredited Practising Dietitian or your healthcare professional. SUSTAGEN® Hospital Formula Active is a formulated meal replacement and cannot be used as total diet replacement. Consume as part of a varied and balanced diet and healthy lifestyle.

©MOVICOL is a registered trademark of the Norgine group of companies.

©NESTLÉ HEALTH SCIENCE, RESOURCE, THICKENUP, MILO and SUSTAGEN are registered trademarks of Société des Produits Nestlé S.A., 8 Nexus Court, Mulgrave VIC 3170, Australia. For more information visit www.nestlehealthscience.com.au or call 1800 671 628.



Preparation Guide



For Alcoholic Drinks – Beer (150mL) Chilled

Please Drink Responsibly.



Place required amount of RESOURCE® THICKENUP® Clear powder into a clean, dry glass and mix it with 1/2 teaspoon of sugar.



Open bottle and wait until flat. Pour just enough beer down the side of the glass to cover powder (~50mL).



Stir for 10-20 seconds or until mixture starts to thicken.



Gradually add remaining beer, stirring well between additions. **Wait 5 minutes** then stir and serve immediately.

IDDSI Framework

Beer (Chilled)	Level 1 Slightly Thick	Level 2 Mildly Thick	Level 3 Moderately Thick	Level 4 Extremely Thick
150mL	–	1 Blue Scoop	2 Blue Scoops	4 Blue Scoops [†]

Please note: Beer produces a big 'head' of bubbles. Wait a minute or two before adding small amounts of beer down the side of the glass to complete mixing.

At Level 4 – it will still 'look foamy', but this is the effect of the thickener.

[†]Level 4 Extremely Thick liquids are evaluated as IDDSI compliant based on Spoon Tilt Test.


Mild variations in the recipes may be seen with different types of alcoholic beverages. Please adjust accordingly.

For Alcoholic Drinks – Wine (150mL)


Please Drink Responsibly.



Place required amount of RESOURCE® THICKENUP® Clear powder into a clean, dry glass.



Add just enough wine to cover powder (~50mL).



Stir for 10-20 seconds or until mixture starts to thicken.



Gradually add remaining wine, stirring well between additions. **Wait 5 minutes** then stir and serve immediately.

IDDSI Framework

Wine	Level 1 Slightly Thick	Level 2 Mildly Thick	Level 3 Moderately Thick	Level 4 Extremely Thick
150mL Red Wine (Room temp.)	–	2 Blue Scoops	3 Blue Scoops	4 Blue Scoops [†]
150mL White Wine (Chilled)	1 Blue Scoop	2 Blue Scoops	3 Blue Scoops	4 Blue Scoops [†]

Please note: Best consumed immediately. Level 2 is stable over time. Levels 3 and 4 will continue to thicken if left to stand.


[†]Level 4 Extremely Thick liquids are evaluated as IDDSI compliant based on Spoon Tilt Test.

Mild variations in the recipes may be seen with different types of alcoholic beverages. Please adjust accordingly.


For Carbonated Drinks



Place required amount of RESOURCE® THICKENUP® Clear powder into a clean, dry glass.



Pour just enough liquid down the side of the glass to cover powder (~50mL).



Stir for 10-20 seconds until no longer effervescent.



Gradually add remaining liquid, stirring well between additions. **Wait 5 minutes** then stir and serve immediately.

IDDSI Framework

Lemonade*	Level 1 Slightly Thick	Level 2 Mildly Thick	Level 3 Moderately Thick	Level 4 Extremely Thick
200mL	1 Blue Scoop	2 Blue Scoops	3 Blue Scoops	6 Blue Scoops [†]

Please note: Carbonated drinks produce a big 'head' of bubbles (like a head of beer). Add small amounts of carbonated drink gradually to prevent the thickened carbonated drink from overflowing from the cup.

[†]Level 4 Extremely Thick liquids are evaluated as IDDSI compliant based on Spoon Tilt Test.

*Recipe developed for lemonade, other carbonated drinks may vary. Please consult a healthcare professional for guidance.

RESOURCE® THICKENUP® Clear is a food for special medical purposes for the dietary management of people with swallowing difficulties. Must be used under medical supervision.

© Reg. Trademark of Société des Produits Nestlé S.A. Nestlé Healthcare Nutrition, a division of Nestlé Australia Ltd, 8 Nexus Court, Mulgrave VIC 3170, Australia. For more information visit www.nestlehealthscience.com.au or call 1800 671 628.